

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	1	(alias and account and transaction and (portion or section or part) and static and dynamic).clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:12

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	422	pare.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:23
S2	0	"pare.in.biometric"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:10
S3	52	S1 and biometric	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:11
S4	0	S1 and (biometric same alias)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:14
S5	3	S1 and (biometric and alias)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:14
S6	422	pare.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:12
S8	2	S6 and (select\$4 adj (id or identification or identif\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:14
S9	10	S6 and ((select\$4 adj personal) near3 (id or identification or identif\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:22
S10	0	S6 and (muntiple adj account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:23
S11	0	biometric and (muntiple adj account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:23
S12	0	biometric and (multiple adj account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:23
S13	0	biometric and (multiple adj account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:23
S14	10	S6 and (multiple adj account)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:17

## EAST Search History

S15	422	pare.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:17
S16	0	S15 and (partial near3 enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:17
S17	1394	(partial near3 enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:18
S18	0	((partial adj (personal or pin)) near3 enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:19
S19	0	((partial near2 (personal or pin)) near3 enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:19
S20	636	partial near2 (personal or pin)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:19
S21	29	(partial near2 (personal or pin) same enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:33
S22	802	((partial or "in part" or segment or part) near2 (personal or pin) same enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:33
S23	228	((partial or "in part" or segment or part) adj (personal or pin) same enter\$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:34
S24	1	((partial or "in part" or segment or part) adj (personal or pin) same enter\$4)) same (biometric or bio-metric)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:36
S25	5	((partial or "in part" or segment or part) adj (personal or pin) same enter\$4)) and(biometric or bio-metric)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:36
S26	0	portional adj pin	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:22
S27	0	secotional adj pin	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:22

## EAST Search History

S28	0	secotion\$ adj pin	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:23
S29	47	partial adj (pin or "personal identification")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:28
S30	15	partial adj (password or "personal ID" or "user ID" or "user identification" or "personal identification")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:36
S31	1	2002-344316.NRAN.	DERWENT	OR	ON	2005/03/25 14:29
S32	587	(first near4 second) near3 (password or "partial password")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 14:39
S33	7	((first near4 second) near3 (password or "partial password")) with combin\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:36
S34	5	("5588056").URPN.	USPAT	OR	ON	2005/03/25 15:28
S35	3	("5850448").URPN.	USPAT	OR	ON	2005/03/25 15:30
S36	3	("6145086").URPN.	USPAT	OR	ON	2005/03/25 15:31
S37	9	((first near4 second) near3 (password or "partial password")) SAME combin\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:48
S38	0	"multiple piece password"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:48
S39	0	"multiple part password"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:48
S40	0	"multiple part" near2 (password or "personal ID" or "user ID" or "user identification" or "personal identification")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:49
S41	0	"multiple part" near4 (password or "personal ID" or "user ID" or "user identification" or "personal identification")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:50
S42	16	compound near4 (password or "personal ID" or "user ID" or "user identification" or "personal identification")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:50
S43	1952	password near5 combin\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:58

## EAST Search History

S44	103	((password or identifier) near2 (portion or part\$3 or piece or element)) near3 combin\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:01
S45	143	((password or identifier) near2 (portion or part\$3 or piece or element)) near5 combin\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 16:01
S46	13	(static and dynamic) near4 alias	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:14
S47	8464	(username or id or "user id" or "user identification") near5 creat\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:15
S48	2402	S47 and password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:16
S49	459	S48 and ((dynamic or chang\$4 or variable) near4 (portion or section or part))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:19
S50	414	S48 and ((dynamic or chang\$3 or variable) near3 (portion or section or part))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:21
S51	6	variable near3 password\$5 same static	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:27
S52	91	dynamic adj password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:22
S53	2	S50 and S52	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:21
S54	53476	(dynamic adj (portion or part or section)) password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:23
S55	0	(dynamic adj (portion or part or section)) adj password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:23
S56	0	(dynamic adj (portion or part or section)) near4 password	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:23

## EAST Search History

S57	2	("4720860").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 14:27
S58	52	("4720860").URPN.	USPAT	OR	ON	2005/03/28 14:28
S59	6	("5988497").URPN.	USPAT	OR	ON	2005/03/28 14:37
S60	17	("4720860"   "4812628"   "5109408"   "5130519"   "5168520"   "5177342"   "5239583"   "5251259"   "5311594"   "5317636"   "5345380"   "5513250"   "5530235"   "5583864"   "5615408"   "5617470"   "5627355").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 14:45
S61	0	(multiple adj (part or section)) near4 (password or "user ID")	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 14:46
S62	9	(multiple adj3 (part or section)) near4 (password or "user ID")	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 14:46
S63	10	(multiple adj3 (part or section or portion)) near4 (password or "user ID")	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:07
S64	5664	salt same random	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:08
S65	47	salt same random same password	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:13
S66	0	password adj added adj salt	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:13
S67	32	password adj salt	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:19
S68	0	(password adj salt) near combined	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:19
S69	0	(password adj salt) near4 combined	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:19
S70	1	(password adj salt) same combined	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:27
S71	2	(password adj salt) same combin\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/28 17:19
S72	0	("2003/0105964").URPN.	USPAT	OR	ON	2005/03/28 17:28
S73	0	(user adj id) near4 rotation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:01
S74	0	(userid) near4 rotation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:01
S75	18	password near4 rotation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:38
S76	7	(access adj code) near4 rotation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:05

## EAST Search History

S77	330	(access adj code) near4 change	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:05
S78	135	(access adj code) near change	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 17:05
S79	901	cookie near5 (storage or database)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:24
S80	22	cookie near5 ((lookup or look-up or "look up") near3 (storage or database))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:31
S81	270	cookie near3 compar\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:32
S82	30	S81 and download	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:43
S83	1	S81 and ((download or "down load") near3 (resume or restart or continue))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:28
S84	270	cookie near3 compar\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:28
S85	1	S84 and ((download or "down load") near5 (resume or restart or continue))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:29
S86	1642	(password or "user id" or user-id) WITH (rotat\$4 or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:46
S87	679	(password or "user id" or user-id) near4 (rotat\$4 or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:23
S88	658	(password or "user id" or user-id) near4 (rotating or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:47
S89	62	(password or "user id" or user-id) near4 (rotating or alternating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:22

## EAST Search History

S90	1	(Multiple near3(password or "user id" or user-id)) near4 (rotating or alternating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:22
S91	1	(Multipl\$4 near3(password or "user id" or user-id)) near4 (rotating or alternating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:23
S92	2	(Multipl\$4 near3(password or "user id" or user-id)) near4 (rotat\$4 or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:25
S93	849	(Multipl\$4 near3(password or "user id" or user-id))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:24
S94	4	(Multipl\$4 near3(password or "user id" or user-id)) WITH (rotat\$4 or altern\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 12:25